



ADVANCED CARTONING - SLEEVING SOLUTIONS

EFFICIENCY. PRECISION. RELIABILITY.



Mecanica Alimentaria SA
www.mecal-sa.com

✉ comercialmc@gmhf.es

☎ +34 981 874 059

📺 YouTube



CARTONING-BANDING MACHINE MC ETH/100

INDIVIDUAL MULTI-FORMAT BANDING MACHINE

Equipment overview

Continuous-motion cartoning machine based on a belt conveyor. Each can is precisely positioned beneath the paperboard sleeve by a synchronized pusher unit. The sleeve is then held by vacuum suction cups and, driven by the mechanical action of a cam, wraps around the can as it advances along the conveyor to form the finished sleeve pack.


Technical features

 VIDEO 1  VIDEO 2

- ✓ **Supported formats:** Round, club and oval cans
- ✓ **Pack configuration:** Individual
- ✓ **Estimated output:** 80–100 packs/min (format and sleeve dependent)

Optional Equipment:

- Color touch screen for monitoring
- Gluing system: Hot melt glue injection
- Plate with alignment system



Technical table

Parameter	Specification
Model	MC ETH/100
Packaging Configuration	Individual Multi-format
Performance (Speed)	80 to 100 Packs / minute
Container formats	Round, club, oval
Power supply	380 / 440 V – 50 / 60 Hz
Construction material	Stainless Steel (Hygienic Design)

CARTONING-BANDING MACHINE MC ETH/150

HIGH-OUTPUT INDIVIDUAL BANDING MACHINE

Equipment overview

High-speed cartoning solution for individual packaging in continuous motion. Using linear conveyor dynamics, each can is placed under the paperboard sleeve by a high-speed pusher unit. The sleeve, held by vacuum suction cups, is lowered onto the container by precision cams, forming a secure sleeve pack without interrupting the production flow.

Technical features

 VIDEO 1  VIDEO 2  VIDEO 3

- ✓ **Supported formats:** Round, club and oval cans
- ✓ **Pack configuration:** Individual
- ✓ **Extended output:** Up to 150 cans/min

Optional Equipment:

- Advanced HMI touch screen
- Gluing system: Hot melt glue injection
- Plate with alignment system



Technical table

Parameter	Specification
Model	MC ETH/150
Packaging Configuration	Individual
Performance (Speed)	150 Cans / minute
Container formats	Round, club, oval
Power supply	380 / 440 V – 50 / 60 Hz

CARTONING-BANDING MACHINE

MC ETH/150-PAL

2-PACK BANDING MACHINE

Equipment overview

Cartoning machine configured on a conveyor belt to form 2-unit sleeve packs. As pairs of cans pass along the belt, they are placed together beneath the paperboard sleeve by a paired pusher unit. The sleeve is immediately applied by the continuous cam cycle — held in position by vacuum suction cups — firmly enclosing both containers in a single sleeve application.


Technical features

 [WATCH VIDEO](#)

- ✓ **Supported formats:** Standard and round cans
- ✓ **Pack configuration:** 2 units
- ✓ **Direct integration:** Compatible with stackers and case packers

Optional Equipment:

- Touch screen for parameter configuration
- Gluing system: Hot melt glue injection
- Plate with alignment system



Technical table

Parameter	Specification
Model	MC ETH/150-PAL
Packaging Configuration	2-Pack
Container formats	Round / Standard
Power supply	380 / 440 V – 50 / 60 Hz
Main Application	Multi-can industrial sleeving



CARTONING-BANDING MACHINE MC ETH/PK2-3-4

MULTI-FORMAT MULTI-PACK BANDING MACHINE

Equipment overview

Highly versatile RO-85 grouping platform designed to sleeve variable pack configurations. Cans are positioned under the paperboard sleeve by an adjustable star-type pusher in groups of 2, 3 or 4 units. Vacuum suction cups pick up the sleeve, which a cam then wraps with precision over the moving pack, ensuring pack integrity and stability throughout.

Technical features

[WATCH VIDEO](#)

- ✓ **Supported formats:** Round containers
- ✓ **Pack configuration:** Multi-pack (2, 3 or 4 units)
- ✓ **Estimated output:** 80-100 packs/min (format dependent)

Optional Equipment:

- Touch screen and real-time alerts
- Gluing system: Hot melt glue injection
- Plate with alignment system



Technical table

Parameter	Specification
Model	MC ETH/PK2-3-4
Packaging Configuration	2, 3 or 4-Pack
Performance (Speed)	80 to 100 Packs / minute
Container formats	Round
Power supply	380 / 440 V – 50 / 60 Hz
Productivity Flexibility	Multi-format - Agile transition



MC ETH/PK6 CARTONING MACHINE

AUTOMATIC 6-PACK BANDING MACHINE

Equipment overview

The MC ETH/PK6 is an automatic industrial cartoning/banding machine designed to group and wrap round containers into 6-packs, bringing speed, precision, and reliability to the secondary packaging process. It operates by integrating product feeding, pack positioning, and application of the wrap-around band or carton to form groups ready for palletizing or distribution. This type of machine is ideal for food and beverage industries looking to increase their packaging throughput with a compact and efficient solution.





Technical features

 [WATCH VIDEO](#)

- ✓ **Supported formats:** Round containers
- ✓ **Packaging configuration:** 6-unit pack
- ✓ **Estimated output:** Up to 100 packs/min depending on format and carton type*
- ✓ **Closing system:** Hot melt / automatic banding
- ✓ **Robust design:** Industrial construction for continuous use
- ✓ **Certification:** CE / UNE-EN ISO 13857 compliance

Optional Equipment:

- High productivity for demanding production lines
- Complete automation: reduces manual intervention
- Easy inline integration with palletizers and case packers



Technical table

Parameter	Specification
Model	MC ETH/PK6
Pack type	6-Packs
Performance (Speed)	~100 packs/minute
Supported container formats	Round
Power supply	380/440 V – 50/60 Hz
Certifications	CE / UNE-EN ISO 13857